Note: Clear copy request - Property of COHACO Merchandising & Dev. Corporation

Certificate N°: 200622048F



Page No: 1/7

REF. NO.: 248347.Q

Hai Phong city, Date: 22 June 2020

CERTIFICATE OF QUALITY

A shipment designated as:

COMMODITY DECLARED

SHIPPER: **NOTIFY PARTY:**

BRAND NAME:

QUANTITY AS B/L:

NAME OF VESSEL: PORT OF LOADING:

PORT OF DISCHARGE:

PACKING:

B/L NO:

COHACO MERCHANDISING AND DEVELOPMENT CORPORATION

2246 DON CHINO ROCES AVENUE.

2,000 MT CEMENT ASTM C150 TYPE I IN 2.0 MT JUMBO BAG

MAKATI CITY, PHILIPPINES 3,000 MT CEMENT ASTM C150 TYPE I IN 1.0 MT JUMBO BAG

12,300 MT CEMENT ASTM C150 TYPE I IN 40KG PP, IN 2MT SLING

5.000 MT CEMENT ASTM C595 TYPE IP IN 40KG PP. IN 2MT SLING BAG

1,000 MT CEMENT ASTM C150 TYPE 2 IN 1.0 MT JUMBO BAG

BARAKO BRAND NUMBER OF 2MT SLING BAGS (TYPE I): 6,150 BAGS

NUMBER OF 2MT SLING BAGS (TYPE IP): 2,500 BAGS NUMBER OF 1.0MT JUMBO BAGS (TYPE I): 3,000 BAGS NUMBER OF 2.0MT JUMBO BAGS (TYPE I): 1,000 BAGS

NUMBER OF 1.0MT JUMBO BAGS (TYPE 2): 1,000 BAGS

NET WEIGHT: 23,300.00 MT GROSS WEIGHT: 23,357.37 MT

MV VINASHIP PEARL VIETNAM

ILOILO, PHILIPPINES

DATED: 17TH JUNE 2020

PSCC CODE NO.: 661.22-09 LC NO.: ILC7011118137FLS

THIS IS TO REPORT in compliance with the instructions received from our principal, we attended at VIETNAM with the purpose of carrying out survey of sampling and analysis of the above mentioned commodity. At time of our intervention, the cargo VIETNAM. We hereby report our findings as was being loaded on board the vessel at follows:

- Sling bag: The cargo was packed in 40 kg/ PP bag, each sling bag included 50 PP bags of PACKING: 40 kg (as shipper's declaration).

> Jumbo bag: The cargo was packed in 1,000 kg jumbo bags (as declaration). - Jumbo bag: The cargo was packed in 2,000 kg jumbo bags (as declaration).

MARKING: As per below photos, which were randomly checked during loading cargo on board.

SGS Vietnam Ltd. 198 Nguyen Thi Minh Khai Street Ward 6, District 3

Ho Chi Minh City - Vietnam t + 84 28 3935 1920 f. + 84 28 3935 1921

document is advised that information contained neeron reflects the Company's lindings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticty of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateeCertificate.jsp.

This document is issued by the Company subject to its General Conditions of Serv

Indemnification and jurisdictional issues established therein. The day of the immediate of leading the first the fir

Attention is drawn to the limitations of liability

Note: Clear copy request - Property of COHACO Merchandising & Dev. Corporation



















Jumbo Bag (2 tons)

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability,

This document is issued by the Company subject to its General Conditions of Service (www.soc.com/en/Terms-and-Conditions aspat). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is to the treated as an original within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offerders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at hits site of the content or appearance of this document is unlawful and offerders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at hits site of the fullest extent of the law.

The authenticity of this document may be verified at hits site of the fullest extent of the law.

The authenticity of this document may be verified at hits site of the fullest extent of the law.

The authenticity of this document may be verified at hits site of the fullest extent of the ful





Page N°: 3/ 7



















Jumbo Bag (1 ton)

Sling Bag







This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions aspx). Attention is drawn to the limitations of liability,

(www.sps.com/en/Tempsand-Conditions.espe). Attention is drawn to the limitations of liability, indemnification and jurisdictional listuse established therein. This document is a devised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their inghts and obligations under the transaction documents. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at https://sponsite.sps.com/env2/common/certificate/authenticate/Certificate_isp.



Page No: 4/ 7

Jumbo Bag





- BLENDED CEMENT TYPE IP











PP Bag

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability,

(www.sos.com/en/Terms-and-Conditions about). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP-600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their inghts and deligations under the transaction documents. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at https://gesonels.egs.com/env2/commonicentificate/authenticate/Certificate_isp.

Note: Clear copy request - Property of COHACO Merchandising & Dev. Corporation



Page N°: 5/ 7





SAMPLING AND TESTING: Increments were drawn randomly for 05 lots of total quantity 23,300 tons (03 lots of 17,300 tons - Portland cement type I, 01 lot of 1,000 tons - Portland cement type II and 01 lot of 5,000 tons - Blended cement type IP) during loading onto the vessel at province, Vietnam. The material samples of each kind were then mixed well, prepared and divided into 05

province, Vietnam. The material samples of each kind were then mixed well, prepared and divided into 05 Full Composite (F.C) samples then distributed as follows:

Portland cement type I:

- 01 F.C sample with SGS seal no. Q2069748 was sent to SGS's lab for testing.
- 01 F.C sample with SGS seal no. Q2069749 was retained at SGS Hai Phong and will be disposed after 90 days from the date of B/L.
- 01 F.C sample with SGS seals no. Q2069750 was handed over to the client's representative.
- 01 F.C samples with SGS seal no. Q2069751 were handed over to the client's representative and declared to send to the buyer.
- 01 F.C sample with SGS seal no. Q2069752 was handed over to the vessel's representative.

Portland cement type 2:

- 01 F.C sample with SGS seal no. Q2069755 was sent to SGS's lab for testing.
- 01 F.C sample with SGS seal no. Q2069756 was retained at SGS Hai Phong and will be disposed after 90 days from the date of B/L.
- 01 F.C samples with SGS seal no. Q2069757 was handed over to the client's representative.
- 01 F.C sample with SGS seals no. Q2069758 was handed over to the client's representative and declared to send to the buyer
- 01 F.C sample with SGS seal no. Q2069759 was handed over to the vessel's representative.

This document is issued by the Company subject to its General Conditions of Servic (<u>www.ygs.com/en/Termsand-Conditions</u> aspx). Attention is drawn to the limitations of liability indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expertate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized attention, foreger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at his content or appearance of this document is thus sites one sites as content or an extent of the law.

Note: Clear copy request - Property of COHACO Merchandising & Dev. Corporation



Blended cement type IP:

- 01 F.C sample with SGS seal no. Q2069730 was sent to SGS's lab for testing.
- 01 F.C sample with SGS seal no. Q2069731 was retained at SGS Hai Phong and will be disposed after 90 days from the date of B/L.
- 01 F.C sample with SGS seal no. Q2069732 was handed over to the client's representative.
- 01 F.C sample with SGS seal no. Q2069733 was handed over to the client's representative and declared to send to the buyer.
- 01 F.C sample with SGS seal no. Q2069734 was handed over to the vessel's representative.

The testing results as report no. HPM20-09078 R0, HPM20-09081 R0 and HPM20-09082 R0 were found as follows:

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/en/Terms-and-Conditions aspx). Attention is drawn to the limitations of liability,

Ihis document is issued by the Company subject to its General Conditions of Service (lown sign come IT emissant-Conditions signs). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, foregroy or fall-faction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Properties	Units	Results			
		Portland cement type	Portland cement type 2	Blended cement type IP	Testing methods
I. Chemical compositi	on	A PARTIES	OF TAXO		有种种
MgO	%	0.89	0.92	1.12	ASTM C114:18
SO ₃	%	2.22	2.53	1.74	
IR .	%	0.23	0.24		
LOI	%	1.58	1.42	5.81	
Al_2O_3	%		5.04	-	
Fe ₂ O ₃	%		3.21	2 2 2 2 2 2	
C₃A	%		7.93	40N-X	ASTM C150/ C150M- 2017
II. Physical and Mecha	nics com	position	AND HILL	1909/25/2 2000/25/2 2000/25/2	
Compressive strength - 3 days	MPa	25.5	26.9	22.1	ASTM C109/ C109M:16
Time of setting	UTGARA.	93305 B	===161	(O	SAIGIN!
- Initial set	min	122	103	148	ASTM C191-
- Final set	1000	205	190	240	13(AASHTO T131)
Fineness (Blaine)	m2/kg	372	362	406	ASTM C204 -16(AASHTO T153
Autoclave expansion	%	0.04	0.04	0.03	ASTM C151/C1511 -16
Air content	%	6.0	6.0	6.0	ASTM C185-15a
Autoclave contraction	0/_		111/8	0.03	

Survey was carried out at HON GAI PORT, VIETNAM and SGS's lab from 10 to 22 June 2020.



This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability,

indemnification and jurisdictional issues established therein.
This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is activated that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or fallisfication of the content or appearance of this document is unlawful and offerders may be prosecuted to the fullest extent of the law.
The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticate/Certificate/sps.